

# Richtlinien und Deklarationen zum Thema Hungerstreik und Zwangsernährung

Auf den folgenden Seiten findet sich eine Zusammenstellung von Leitlinien, die Ärzten zum Thema Hungerstreik und Zwangsernährung Orientierung geben: ein Auszug aus den Richtlinien der Schweizerischen Akademie der Medizinischen Wissenschaften SAMW, die Deklaration von Malta der World Medical Association WMA und ein Auszug der WMA-Deklaration von Tokio.

## Auszug aus den «Medizinisch-ethischen Richtlinien» der SAMW

### Ausübung der ärztlichen Tätigkeit bei inhaftierten Personen<sup>1</sup>

#### 9. Hungerstreik

- 9.1 Im Falle eines Hungerstreiks muss die inhaftierte Person durch den Arzt in objektiver Art und Weise und wiederholt über die möglichen Risiken von längerem Fasten aufgeklärt werden.
- 9.2 Nachdem die volle Urteilsfähigkeit der betreffenden Person von einem ausserhalb der Anstalt tätigen Arzt bestätigt wurde, muss der Entscheid zum Hungerstreik, auch im Falle eines beträchtlichen Gesundheitsrisikos, medizinisch respektiert werden.
- 9.3 Fällt die Person im Hungerstreik in ein Koma, geht der Arzt nach seinem Gewissen und seiner

Berufsethik vor, es sei denn, die betreffende Person habe ausdrückliche Anordnungen für den Fall eines Bewusstseinsverlustes hinterlegt, auch wenn diese den Tod zur Folge haben können.

- 9.4 Der Arzt, der mit einem Hungerstreik konfrontiert ist, wahrt gegenüber den verschiedenen Parteien eine streng neutrale Haltung und muss jedes Risiko einer Instrumentalisierung seiner medizinischen Entscheide vermeiden.
- 9.5 Trotz der geäusserten Verweigerung der Nahrungsaufnahme vergewissert sich der Arzt, dass der im Hungerstreik stehenden Person täglich Nahrung angeboten wird.

1 Ausübung der ärztlichen Tätigkeit bei inhaftierten Personen. Schweiz Ärztezeitung. 2002;83(1/2):22–26. [www.samw.ch/de/Ethik/Richtlinien/Aktuell-gueltige-Richtlinien.html](http://www.samw.ch/de/Ethik/Richtlinien/Aktuell-gueltige-Richtlinien.html)  
Diese Richtlinien sind Teil der FMH-Standesordnung, Anhang 1, Kapitel C. [www.fmh.ch/files/pdf4/Anhang1\\_dt\\_2010.pdf](http://www.fmh.ch/files/pdf4/Anhang1_dt_2010.pdf)

## WMA Declaration of Malta on Hunger Strikers<sup>2</sup>

### Preamble

1. Hunger strikes occur in various contexts but they mainly give rise to dilemmas in settings where people are detained (prisons, jails and immigration detention centres). They are often a form of protest by people who lack other ways of making their demands known. In refusing nutrition for a significant period, they usually hope to obtain certain goals by inflicting negative publicity on the authorities. Short-term or feigned food refusals rarely raise ethical problems. Genuine and prolonged fasting risks death or permanent damage for hunger strikers and can create a conflict of values for physicians. Hunger strikers usually do not wish to die but some may be prepared to do so to achieve their aims. Physicians need to ascertain the individual's true intention, especially in collective strikes or situations where peer pressure may

be a factor. An ethical dilemma arises when hunger strikers who have apparently issued clear instructions not to be resuscitated reach a stage of cognitive impairment. The principle of beneficence urges physicians to resuscitate them but respect for individual autonomy restrains physicians from intervening when a valid and informed refusal has been made. An added difficulty arises in custodial settings because it is not always clear whether the hunger striker's advance instructions were made voluntarily and with appropriate information about the consequences. These guidelines and the background paper address such difficult situations.

### Principles

2. Duty to act ethically. All physicians are bound by medical ethics in their professional contact with

2 [www.wma.net/en/30publications/10policies/h31/index.html](http://www.wma.net/en/30publications/10policies/h31/index.html)

vulnerable people, even when not providing therapy. Whatever their role, physicians must try to prevent coercion or maltreatment of detainees and must protest if it occurs.

3. Respect for autonomy. Physicians should respect individuals' autonomy. This can involve difficult assessments as hunger strikers' true wishes may not be as clear as they appear. Any decisions lack moral force if made involuntarily by use of threats, peer pressure or coercion. Hunger strikers should not be forcibly given treatment they refuse. Forced feeding contrary to an informed and voluntary refusal is unjustifiable. Artificial feeding with the hunger striker's explicit or implied consent is ethically acceptable.
4. «Benefit» and «harm». Physicians must exercise their skills and knowledge to benefit those they treat. This is the concept of «beneficence», which is complemented by that of «non-maleficence» or *primum non nocere*. These two concepts need to be in balance. «Benefit» includes respecting individuals' wishes as well as promoting their welfare. Avoiding «harm» means not only minimising damage to health but also not forcing treatment upon competent people nor coercing them to stop fasting. Beneficence does not necessarily involve prolonging life at all costs, irrespective of other values.
5. Balancing dual loyalties. Physicians attending hunger strikers can experience a conflict between their loyalty to the employing authority (such as prison management) and their loyalty to patients. Physicians with dual loyalties are bound by the same ethical principles as other physicians, that is to say that their primary obligation is to the individual patient.
6. Clinical independence. Physicians must remain objective in their assessments and not allow third parties to influence their medical judgement. They must not allow themselves to be pressured to breach ethical principles, such as intervening medically for non-clinical reasons.
7. Confidentiality. The duty of confidentiality is important in building trust but it is not absolute. It can be overridden if non-disclosure seriously harms others. As with other patients, hunger strikers' confidentiality should be respected unless they agree to disclosure or unless information sharing is necessary to prevent serious harm. If individuals agree, their relatives and legal advisers should be kept informed of the situation.
8. Gaining trust. Fostering trust between physicians and hunger strikers is often the key to achieving a resolution that both respects the rights of the hunger strikers and minimises harm to them. Gaining trust can create opportunities to resolve difficult situations. Trust is dependent upon physicians providing accurate advice and being frank with hunger strikers about the limitations of what they can and cannot do, including where they cannot guarantee confidentiality.

### Guidelines for the management of hunger strikers

9. Physicians must assess individuals' mental capacity. This involves verifying that an individual intending to fast does not have a mental impairment that would seriously undermine the person's ability to make health care decisions. Individuals with seriously impaired mental capacity cannot be considered to be hunger strikers. They need to be given treatment for their mental health problems rather than allowed to fast in a manner that risks their health.
10. As early as possible, physicians should acquire a detailed and accurate medical history of the person who is intending to fast. The medical implications of any existing conditions should be explained to the individual. Physicians should verify that hunger strikers understand the potential health consequences of fasting and forewarn them in plain language of the disadvantages. Physicians should also explain how damage to health can be minimised or delayed by, for example, increasing fluid intake. Since the person's decisions regarding a hunger strike can be momentous, ensuring full patient understanding of the medical consequences of fasting is critical. Consistent with best practices for informed consent in health care, the physician should ensure that the patient understands the information conveyed by asking the patient to repeat back what they understand.
11. A thorough examination of the hunger striker should be made at the start of the fast. Management of future symptoms, including those unconnected to the fast, should be discussed with hunger strikers. Also, the person's values and wishes regarding medical treatment in the event of a prolonged fast should be noted.
12. Sometimes hunger strikers accept an intravenous saline solution transfusion or other forms of medical treatment. A refusal to accept certain interventions must not prejudice any other aspect of the medical care, such as treatment of infections or of pain.
13. Physicians should talk to hunger strikers in privacy and out of earshot of all other people, including other detainees. Clear communication is essential and, where necessary, interpreters unconnected to the detaining authorities should be available and they too must respect confidentiality.
14. Physicians need to satisfy themselves that food or treatment refusal is the individual's voluntary choice. Hunger strikers should be protected from coercion. Physicians can often help to achieve this and should be aware that coercion may come from the peer group, the authorities or others, such as family members. Physicians or other health

care personnel may not apply undue pressure of any sort on the hunger striker to suspend the strike. Treatment or care of the hunger striker must not be conditional upon suspension of the hunger strike.

15. If a physician is unable for reasons of conscience to abide by a hunger striker's refusal of treatment or artificial feeding, the physician should make this clear at the outset and refer the hunger striker to another physician who is willing to abide by the hunger striker's refusal.
16. Continuing communication between physician and hunger strikers is critical. Physicians should ascertain on a daily basis whether individuals wish to continue a hunger strike and what they want to be done when they are no longer able to communicate meaningfully. These findings must be appropriately recorded.
17. When a physician takes over the case, the hunger striker may have already lost mental capacity so that there is no opportunity to discuss the individual's wishes regarding medical intervention to preserve life. Consideration needs to be given to any advance instructions made by the hunger striker. Advance refusals of treatment demand respect if they reflect the voluntary wish of the individual when competent. In custodial settings, the possibility of advance instructions having been made under pressure needs to be considered. Where physicians have serious doubts about the individual's intention, any instructions must be treated with great caution. If well informed and voluntarily made, however, advance instructions can only generally be overridden if they become invalid because the situation in which the decision was made has changed radically since the individual lost competence.
18. If no discussion with the individual is possible and no advance instructions exist, physicians have to act in what they judge to be the person's best interests. This means considering the hunger strikers' previously expressed wishes, their personal and cultural values as well as their physical health. In the absence of any evidence of hunger strikers' former wishes, physicians should decide whether or not to provide feeding, without interference from third parties.
19. Physicians may consider it justifiable to go against advance instructions refusing treatment because, for example, the refusal is thought to have been made under duress. If, after resuscitation and having regained their mental faculties, hunger strikers continue to reiterate their intention to fast, that decision should be respected. It is ethical to allow a determined hunger striker to die in dignity rather than submit that person to repeated interventions against his or her will.
20. Artificial feeding can be ethically appropriate if competent hunger strikers agree to it. It can also be acceptable if incompetent individuals have left no unpressured advance instructions refusing it.
21. Forcible feeding is never ethically acceptable. Even if intended to benefit, feeding accompanied by threats, coercion, force or use of physical restraints is a form of inhuman and degrading treatment. Equally unacceptable is the forced feeding of some detainees in order to intimidate or coerce other hunger strikers to stop fasting.

*(Adopted by the 43rd World Medical Assembly Malta, November 1991 and editorially revised at the 44th World Medical Assembly Marbella, Spain, September 1992 and revised by the WMA General Assembly, Pilanesberg, South Africa, October 2006)*

## Extract from the WMA Declaration of Tokyo<sup>3</sup>

### **Guidelines for Physicians Concerning Torture and other Cruel, Inhuman or Degrading Treatment or Punishment in Relation to Detention and Imprisonment**

6. Where a prisoner refuses nourishment and is considered by the physician as capable of forming an unimpaired and rational judgment concerning

the consequences of such a voluntary refusal of nourishment, he or she shall not be fed artificially. The decision as to the capacity of the prisoner to form such a judgment should be confirmed by at least one other independent physician. The consequences of the refusal of nourishment shall be explained by the physician to the prisoner.

<sup>3</sup> vollständige Fassung unter: [www.wma.net/en/30publications/10policies/c18/index.html](http://www.wma.net/en/30publications/10policies/c18/index.html)