Literatur

1 Stuck A, Moser A, Morf U, Wirz U, Wyser J, Gillmann G et al. Effect of Health Risk Assessment and Counselling on Health Behaviour and Survival of Older People: Randomised Trial. PLoS Med. 12(10): e1001889. doi:10.1371/journal.pmed.1001889.

2 Spycher BD, Feller M, Zwahlen M, Roosli M, von der Weid NX, Hengartner H et al. Childhood cancer and nuclear power plants in Switzerland: a census-based cohort study. Int J Epidemiol. 2011;40: 1247–60. doi:10.1093/ije/dyr115.

3 Bech BH, Kjaersgaard MIS, Pedersen HS, Howards PP, Sørensen MJ, Olsen J et al. Use of antiepileptic drugs during pregnancy and risk of spontaneous abortion and stillbirth: population based cohort study. BMJ. 2014;349:g5159.

4 SR 431.012.13 Verordnung des EDI vom 17. Dezember 2013 über die Verknüpfung statistischer Daten (Datenverknüpfungsverordnung). Erhältlich unter https://www.admin.ch/opc/de/classified-compilation/20122208/index.html (herunter geladen am 28. September 2015).

5 Bopp M, Spoerri A, Zwahlen M, Gutzwiller F, Paccaud F, Braun-Fahrländer C et al. Cohort Profile: the Swiss National Cohort – a longitudinal study of 6.8 million people. Int J Epidemiol. 2009;38:379–84. doi:10.1093/ije/dyn042.

6 Schnell R, Bachteler T, Reiher J. Privacy-preserving record linkage using Bloom filters. BMC Med Inform Decis Mak. 2009;9:41. doi:10.1186/1472-6947-9-41.

7 Schmidlin K, Clough-Gorr KM, Spoerri A. Privacy preserving probabilistic record linkage (P3RL): a novel method for linking existing health-related data and maintaining participant confidentiality. BMC Med Res Methodol. 2015;15:46. doi:10.1186/s12874-015-0038-6.